DESSERT

Cookie (CKE)

BEP-20 Audit Performed at block 16402753

PERFORMED BY DESSERT FINANCE FOR CONTRACT ADDRESS: 0x687FD37D1666055f688A0F5A69Bd85a6B846da63

INITIAL DISCLAIMER

Dessert Finance provides due-diligence project audits for various projects. Dessert Finance in no way guarantees that a project will not remove liquidity, sell off team supply, or otherwise exit scam.

Dessert Finance does the legwork and provides public information about the project in an easy-to-understand format for the common person.

Agreeing to an audit in no way guarantees that a team will not remove *all* liquidity ("Rug Pull"), remove liquidity slowly, sell off tokens, quit the project, or completely exit scam. There is also no way to prevent private sale holders from selling off their tokens. It is ultimately your responsibility to read through all documentation, social media posts, and contract code of each individual project to draw your own conclusions and set your own risk tolerance.

Dessert Finance in no way takes responsibility for any losses, nor does Dessert Finance encourage any speculative investments. The information provided in this audit is for information purposes only and should not be considered investment advice. Dessert Finance does not endorse, recommend, support, or suggest any projects that have been audited. An audit is an informational report based on our findings, We recommend you do your own research, we will never endorse any project to invest in.

DessertDoxxed

DessertDoxxed is a KYC service offered by Dessert Finance that allows projects to do a private face reveal matched with an I.D to allow founders / team members to privately Doxx themselves to Dessert Finance.





Table of Contents



- 1. Contract Code Audit Token Overview
- 2. BEP-20 Contract Code Audit Overview
- 3. BEP-20 Contract Code Audit Vulnerabilities Checked
- 4. Contract Code Audit Contract Ownership
- 5. Contract Code Audit Owner Accessible Functions
- 6. Liquidity Ownership Locked / Unlocked
- 7. Contract Code Audit Mint Functions
- 8. Contract Transaction Fees
- 9. Website Overview
- 10. Social Media
- 11. Top Token Holders/Wallets
- 12. Location Audit
- 13. Review of Team
- 14. Roadmap
- 15. Disclaimers

Contract Code Audit – Token Overview



BEP-20 Contract Code Audit – Overview

Dessert Finance was commissioned to perform an audit on Cookie (CKE)

<pre>function segures() internal view virtual versus (bytes meansy) { the set of the</pre>		<pre>/wection_msgConder() internal view virtual returns (address) { return msg.sender; }</pre>
<pre>event Approve() sideress indexed owner, sideress indexed spender, uint256 value } revent frame(address indexed from, address indexed to, uint256 value); function num() external pure returns (string semory); function function() external pure returns (uint256); function function() external view returns (uint256); function function(), external view returns (bool); function function(), external view returns (bytes12); function function(), external view returns (uint256); function function, exter</pre>		(B4); // silence state mutability warning without generating bytecode - swe https://github.com/wthere return mag data;
<pre>recent frame() external pure returns (string semary); function name() external pure returns (string semary); function tendings() external pure returns (ulet25); function tendings() external tene returns (ulet256); function tendings() external tene returns (ulet256); function tendings() external tene returns (ulet256); function tendings(); function tendings(); function sequence(address comer, address speeder) external view returns (ulet256); function tenesfer(address to, ulet256 salue) external returns (bool); function tenesfer(address to, ulet256 salue); function tenesfer(address to, ulet256 value); function tenesfer(address tonesf) external view externs (ulet256); function permit(</pre>		event Approval(address Indexnd cuner, address Indexnd spender, wint256 value
<pre>function vymbul() external pure returns (string seasory); function (milmile() external pure returns (ulett); function infolmers() external view returns (ulet256); function folmers(address owner) external view returns (ulet256); function approve(address owner, address spender) external view returns (ulet256); function systems(address to, ulet256 miles) external returns (bool); function represe(address to, ulet256 miles) external returns (bool); function from from (address to, ulet256 miles) external returns (bool); function from from (address to, ulet256 miles) external returns (bool); function from from (bool); function from (bool); function formation() external view returns (bytes32); function formation() external view returns (ulet256); function permit(address towner, address towner, ulet256 diadline, ulet256 d</pre>		
<pre>/vertion definit() external pure returns (viet8); function totalings)() external view returns (uiet256); function followers(address owner, address spender) external view returns view returns((address owner, address spender) external view returns((address spender, uiet256 sales) external returns (bool); function transfor(address to, uiet256 sales) external returns (bool); function transfor(me(address from, address from, address from, uiet256 vales inst556 vales inst556 vales inst556 vales function returns((bool); function returns((bool); function returns(charmed pure returns (bytes32); function returns(address towner) external view returns (uiet256); function returns(indexes, int256 diaddises, uiet256 diaddises,</pre>		function name() external pure returns (string emery),
<pre>function tutalloguelp() external view returns (wint256); function balanceD(deferrs owner) external view returns (wint256); function elements(address owner, address spender) external view returns (wint256); function exerce(address to, wint256 value) external returns (bool); function transfer(address to, wint256 value) external returns (bool); function transfer(address to, wint256 value) external returns (bool); function transfer(address to, wint256 value) external returns (bool); function transfer(ment, address to, wint256 value } external returns (bool); function toxics_StrateDD() external view returns (bytes32); function fermi(address owner) external view returns (wint256); function fermi(address towner) external view returns (wint256); function fermi(address towner), address towner, address towner, address</pre>		function symbol() external pure returns (string memory),
<pre>function balanced#(address owner) external view returns (uint256); function illnearce(address source, address spender) esternal view returns (uint256); function symprove(address spender, uint256 salue) external returns (bool); function transfer(address to, uint256 salue) external returns (bool); function tookin stratement (bool); function tookin stratement (bool); function film() external view returns (bytes12); function film() internal pure returns (uint256); function pure(address source, address spender, uint256 disdline, uint256 disdli</pre>		<pre>punction declarit() external pure returns (wint8);</pre>
<pre>function slinearre(address owner, address spender) external view returns (wint256); function spender(address to, simt266 malue) external returns (bool); function transfer[run(address from, address to; ulut204 value) external view returns (bytes32); function FEDULE_TIPEDUDU() external view returns (wint256); function press(address spender, wint264 value, wint264</pre>		function intallogoly() external view returns (wint256);
<pre>external vine vine content (wint256); function sporter(address sponder, wint256 sales) external returns (bool); function transfer(address to, sint256 sales) external returns (bool); function transfer(saddress (bool); function transfer(saddress (bool); function transfer(saddress (bool); function transfer(saddress (bool); function transfer(saddress (bool); function transfer(saddress (bool); function presit(address sponder, wint256 value, wint256 value, wint256</pre>		function balanced((address comer) external size returns (uint256),
<pre>purction transfer(address to, sint256 value) external returns (bool); function transfer(res(eddress free, sint256 value } external returns (bool); function DOMAN_SERMAND() external view returns (bytes32); function PERNIT_TIPERNON() external pure returns (uint256); function tensor, address spender, sint256 value, sint256 value, sint3 v, sint3 v,</pre>		external view
<pre>/wertion transferiene(edirest from, oddress to, uint256 value) esternal returns (bool); function DONUE_SEPARATION() external view returns (bytes32); function PEDDIT_TYPEODD() external view returns (uint256); function permit(edirest spender, uint256 diseline, uint256 diselin</pre>		function sporter(address sponder, sint256 value) external returns (bool);
<pre>/wertion transferiene(edirest from, oddress to, uint256 value) esternal returns (bool); function DONUE_SEPARATION() external view returns (bytes32); function PEDDIT_TYPEODD() external view returns (uint256); function permit(edirest spender, uint256 diseline, uint256 diselin</pre>		function transfer(address to, sint256 value) external returns (bool);
<pre>function PERMIT_TYPERMIN() external pure returns (bytes32); function numces(address conser) external view returns (uint256); function purmit(address conser, address conser, uint246 value, uint246 value, uint</pre>		Function transferrent address from, address to, uint256 value
<pre>punction numers(address owner) external view returns (wint256); function purmit(address owner, address spender, wint206 value, wint206 value, wint206 value, wint1 v, wint2 v, wint2 v,</pre>		function DONAIN_SEPARATOR() external view returns (bytes32);
<pre>punction purmit(address numer, address sponder, sint2M6 value, uint2M6 value, uint2M6 deadline, uint8 v, bytes12 r,</pre>		function (EDUI_TVERNON() external pure (starms (bytes32);
eddress sweet eddress spender uint206 value uint28 diedline uint8 diedline uint8 - bytes12 r		function montes(addrass memor) external view returns (uint256);
		address spender, address spender, uint256 value, uint256 deadline, uint2 v. hyte.12 r.
	-	

Contract Address 0x687FD37D1666055f688A0F5A69Bd85a6B846da63

TokenTracker Cookie (CKE)

Contract Creator 0x260883dee037055065c7e561d31ae53837d41c20

Source Code Contract Source Code Verified

Contract Name BuybackBabyToken

Other Settings default evmVersion, MIT

Compiler Version v0.8.4+commit.c7e474f2

Optimization Enabled Yes with 200 runs

Code is truncated to fit the constraints of this document. The code in its entirety can be viewed here.

The contract code is **verified** on BSCScan.

BEP-20 Contract Code Audit – Vulnerabilities Checked

Vulnerability Tested	Al Scan	Human Review	Result
Compiler Errors	Complete	Complete	✓ Low / No Risk
Outdated Compiler Version	Complete	Complete	√ Low / No Risk
Integer Overflow	Complete	Complete	√ Low / No Risk
Integer Underflow	Complete	Complete	√ Low / No Risk
Correct Token Standards Implementation	Complete	Complete	√ Low / No Risk
Timestamp Dependency for Crucial Functions	Complete	Complete	√ Low / No Risk
Exposed _Transfer Function	Complete	Complete	√ Low / No Risk
Transaction-Ordering Dependency	Complete	Complete	√ Low / No Risk
Unchecked Call Return Variable	Complete	Complete	√ Low / No Risk
Use of Deprecated Functions	Complete	Complete	√ Low / No Risk
Unprotected SELFDESTRUCT Instruction	Complete	Complete	√ Low / No Risk
State Variable Default Visibility (x3)	Complete	Complete	√ Low Risk
Deployer Can Access User Funds	Complete	Complete	√ Low / No Risk

The contract code is **verified** on BSCScan.

The vulnerabilities listed above were not found in the token's Smart Contract.

Contract Code Audit – Contract Ownership

Contract Ownership has not been renounced at the time of Audit



Owner
unt (address)
60883dEE037055065c7E561D31AE53837D41c
ary.
st
wner method Response]
ot.

The contract ownership is not currently renounced.

We have placed the contract owner address below for your viewing:

<u>0x260883dEE037055065c7E561D31AE53837D41c20</u>

The address above has authority over the ownable functions within the contract.

This allows the owner to call certain functions within the contract. Any compromise to the owner wallet may allow these privileges to be exploited.

We recommend:

-Establishing a Time-Lock with reasonable latency

-Assignment of privileged roles to multi-signature wallets

Contract Code Audit – Owner Accessible Functions

Function Name	Parameters	Visibility	Audit Notes
authorize	address adr	public	onlyOwner modifier is detected. Owner can call this function if the contract is not renounced.
unauthorize	address adr	public	onlyOwner modifier is detected. Owner can call this function if the contract is not renounced.
transferOwnership	address payable adr	public	onlyOwner modifier is detected. Owner can call this function if the contract is not renounced.

The functions listed above can be called by the contract owner.

Contract Code Audit – Authorized Accessible Functions

Function Name	Parameters	Visibility	Audit Notes
clearBuybackMultiplier			authroized modifier is detected. Authorized wallets can call this function.
setIsFeeExempt	address holder, bool exempt		authroized modifier is detected. Authorized wallets can call this function.
setBuyBacker	address acc, bool add		authroized modifier is detected. Authorized wallets can call this function.
setDistributorSettings	uint256 gas		authroized modifier is detected. Authorized wallets can call this function.

The functions listed above can be called by authorized users.

Liquidity Ownership – Locked / Unlocked

No locked liquidity information has been found.



This page will contain links to locked liquidity for the project if we are able to locate that information. Locked liquidity information was not found on the project's website.

Contract Code Audit – Mint Functions

This Contract Cannot Mint New Cookie (CKE) Tokens.




We do understand that sometimes mint functions are essential to the functionality of the project.

A mint function was not found in the contract code.

Contract Transaction Fees

At the time of Audit the transaction fees ("tax") listed below are the fees associated with trading. These fees are taken from every buy and sell transaction unless otherwise stated.



Website Part 1 – Overview www.cookietoken.online




Above images are actual snapshots of the current live website of the project.

Website was registered on 02/28/2022, registration expires 02/28/2023.

X This meets the 3 year minimum we like to see on new projects.

Website Part 2 – Checklist



The website contained no JavaScript errors. No typos, or grammatical errors were present, and we found a valid SSL certificate allowing for access via https.

No additional issues were found on the website.

Website Part 3 – Responsive HTML5 & CSS3

No issues were found on the Mobile Friendly check for the website. All elements loaded properly and browser resize was not an issue. The team has put a considerable amount of thought and effort into making sure their website looks great on all screens.

No severe JavaScript errors were found. No issues with loading elements, code, or stylesheets.




Website Part 4 (GWS) – General Web Security



SSL CERTIFICATE A valid SSL certificate was found. Details are as follows:

Offered to: cookietoken.online Issued by: Sectigo RSA Valid Until: 05/29/2022





CONTACT EMAIL

A valid contact email was found on the official website. Contact email is listed as shown below:

<u>Contact</u>

team@cookietoken.online





SPAM / MALWARE / POPUPS No malware found No injected spam found No internal server errors No popups found Domain is marked clean by Google, McAfee, Sucuri Labs, & ESET

Social Media



We were able to locate a variety of Social Media networks for the project.

All links have been conveniently placed below.




At least 3 social media networks were found.

Top Token Holders

The top token holders at the time of the audit are shown below.


Click here to view the most up-to-date list of holders




Rank	Address	Quantity (Token)	Percentage
1	0x260883dee037055065c7e561d31ae53837d41c20	1,254,745,505.629489836	62.7373%
2	Null Address: 0x000dEaD	420,515,000	21.0258%
3	PancakeSwap V2: CKE 7	40,485,433.038118018	2.0243%
4	0xbad3376d9f094690956e81d7d8a5192cb04d6ac0	39,054,611.418251012	1.9527%
5	0x72976b933bf46083a88334b249f9a54047f44362	21,131,038.936154644	1.0566%

Location Audit

We were unable to identify a primary location for the project at this time or a location has not been declared.



Team Overview



We are unable to find any information about the team on the website at this time. Projects may choose to stay anonymous for a myriad of reasons.

Roadmap

A roadmap was found on the official website, we have conveniently placed it on this page for your viewing.



Disclaimer



The opinions expressed in this document are for general informational purposes only and are not intended to provide specific advice or recommendations for any individual or on any specific investment. It is only intended to provide education and public knowledge regarding projects. This audit is only applied to the type of auditing specified in this report and the scope of given in the results. Other unknown security vulnerabilities are beyond responsibility. Dessert Finance only issues this report based on the attacks or vulnerabilities that already existed or occurred before the issuance of this report. For the emergence of new attacks or vulnerabilities that exist or occur in the future, Dessert Finance lacks the capability to judge its possible impact on the security status of smart contracts, thus taking no responsibility for them. The smart contract analysis and other contents of this report are based solely on the documents and materials that the contract provider has provided to Dessert Finance or was publicly available before the issuance of this report (issuance of report recorded via block number on cover page), if the documents and materials provided by the contract provider are missing, tampered, deleted, concealed or reflected in a situation that is inconsistent with the actual situation, or if the documents and materials provided are changed after the issuance of this report, Dessert Finance assumes no responsibility for the resulting loss or adverse effects. Due to the technical limitations of any organization, this report conducted by Dessert Finance still has the possibility that the entire risk cannot be completely detected. Dessert Finance disclaims any liability for the resulting losses.

Dessert Finance provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Even projects with a low risk score have been known to pull liquidity, sell all team tokens, or exit-scam. Please exercise caution when dealing with any cryptocurrency related platforms.

The final interpretation of this statement belongs to Dessert Finance.

Dessert Finance highly advises against using cryptocurrencies as speculative investments and they should be used solely for the utility they aim to provide.

Thank You

DESSERT FINANCE PROJECT AUDIT HAS BEEN COMPLETED FOR COOKIE (CKE) AT BLOCK NUMBER: 16402753

THIS AUDIT IS ONLY VALID IF VIEWED ON HTTPS://WWW.DESSERTSWAP.FINANCE

www.dessertswap.finance https://t.me/dessertswap